



RAM THANANCHAYAN
 SWIFT GLOBAL ECO SOLUTION
 LTD
 14 KINGSLEY STREET
 KIRBY IN ASHFIELD
 NOTTINGHAMSHIRE NG17 7BA

T744

Please quote above code for all enquiries

RAM THANANCHAYAN
 RICHGROW100 RECONSTITUTED

COMPOST ANALYSIS RESULTS

Sample Reference :

PREMIERCOCO 100 650G

Sample Matrix : COMPOST

Laboratory References

Report Number 47588
 Sample Number 103203

Date Received 08-FEB-2017
 Date Reported 10-FEB-2017

The sample submitted was of adequate size to complete all analysis requested.
 The sample will be kept at ambient temperature for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units	Determinand	Value	Units
pH	5.9		Cond. at 20 C	243	uS/cm
Density	346	kg/m3	Ammonia-N	6.9	mg/l
Dry Matter	17.3	%	Nitrate-N	<0.6	mg/l
Dry Density	59.9	kg/m3	Total Soluble N	6.9	mg/l
Chloride	213.0	mg/l	Sulphate	72.9	mg/l
Phosphorus	6.6	mg/l	Boron	0.19	mg/l
Potassium	195.9	mg/l	Copper	0.03	mg/l
Magnesium	1.8	mg/l	Manganese	0.03	mg/l
Calcium	2.7	mg/l	Zinc	0.06	mg/l
Sodium	100.3	mg/l	Iron	1.32	mg/l

The extraction is performed by adding a weight of sample equivalent to 60mls volume to 300mls of deionised water (ref BSEN 13652:2001). Samples submitted under 1 litre will necessitate the use of scaled down equipment for density pH and Conductivity measurements are made at 20°C. I.S. = Insufficient Sample.

Released by *PG Taylor*

Date *10/02/17*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
 Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com